



b62 frames are especially used for textile, 3 mm foam panels & 3 mm alu-sandwich panels, but they are also very suitable for nearly any other filling, even thicker than 3 mm.

In this leaflet we combine a few examples that show what is possible with the beMatrix wall frames system.



ALTERNATIVE INFILLS

DECORATIVE IMI-STONE PANELS



ALTERNATIVE INFILLS

DECORATIVE IMI-STONE PANELS



DESIGNER AND PRODUCER OF THE SYSTEM FOR CUSTOM STANDS AND EVENTS

ALTERNATIVE INFILLS

DECORATIVE IMI-STONE PANELS



ALTERNATIVE INFILLS

SOLID WOOD




ALTERNATIVE INFILLS

SOLID WOOD



ALTERNATIVE INFILLS

SOLID WOOD



ALTERNATIVE INFILLS

THICK FOAM MATERIAL



DESIGNER AND PRODUCER OF THE SYSTEM FOR CUSTOM STANDS AND EVENTS

ALTERNATIVE INFILLS

DECORATIVE FOAM MATERIAL



ALTERNATIVE INFILLS

PLYWOOD



Also, pay attention to the decorative function of the connection holes, the pattern formed by the wires into the holes.



ALTERNATIVE INFILLS

PLYWOOD



ALTERNATIVE INFILLS

STEEL INFILLS

